

Material Safety Data Sheet - Coldmix

1. MATERIAL IDENTIFICATION

1.1 Product identifier

Product name COLDMIX

Synonyms COLDMIX ASPHALT

1.2 Uses and uses advised against

Uses ROAD MAINTENANCE

This product is generally applied at ambient temperatures using manual methods.

1.3 Details of the supplier of the product

Supplier name Tradetech Services Australia. ABN 70 164882508.

Address 10 Water Rd Preston 3072, AUSTRALIA

Telephone (03) 9440 7500

Website <u>WWW.TRADETECHSERVICES.COM.AU</u>

1.4 Emergency telephone numbers

Emergency 13 11 26 (Poisons Information Centre)

2. CLASSIFICATION / HAZARDS

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Skin Corrosion/Irritation: Category 3

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word WARNING

Pictograms Hazard statements

H316 Causes mild skin irritation.

Prevention statements

P262 Do not get in eyes, on skin, or on clothing.

Response statements

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Storage statements

P403 Store in a well-ventilated place.

[Type here]

Disposal statements

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

This product is generally applied at ambient temperatures using manual methods. Therefore, due to the application temperature the likelihood of asphalt fumes being released is reduced. Once cured, the inert solid material is considered non hazardous.

Please see package labelling or manufacturer's literature for more detail on usage, handling, storage and disposal under different applications.

3. INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
MINERAL AGGREGATE(S)	-	-	92 to 96%
ASPHALT	8052-42-4	232-490-9	3 to 6%
DERIVATIVE OF OLEOCHEMICALS	Not Available	Not Available	<3%

4. FIRST AID. Actions & remedies

4.1 Description of first aid measures

Eye If contact with dust or vapour occurs, flush eye gently. If irritation continues seek medical advice.

Inhalation If inhaled, remove from contaminated area. If asthmatic reaction occurs treat using bronchial dilator. If

breathing difficulties continue seek medical aid.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to product form and

application, ingestion is considered unlikely.

First aid facilities None allocated.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE RISK

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve toxic gases (carbon/ sulphur oxides, sulphides, hydrocarbons) when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Wear

Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible. If reuse is not possible, contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end uses

Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

	Reference	TWA		STEL	
Ingredient		ppm	mg/m³	ppm	mg/m³
Bitumen fume	SWA [AUS]		5		

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

PPE

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. **Eye / Face**Wear safety glasses or dust-proof goggles when handling material to avoid contact with eyes.

Hands Wear chemical resistant gloves (eg. neoprene or nitrile) when handling material to prevent skin contact.

Body Wear long sleeved shirt and full-length trousers.

Respiratory Where an inhalation risk exists in enclosed or partly enclosed environments (ie. underground carparks, large

tanks, tunnels etc), wear a P1 or P2 particulate respirator.









9. CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance BLACK LOOSE COATED SOLID PARTICLES (IN USE); BLACK SOLID THERMOPLASTIC

MATERIAL (WHEN CURED)

Odour BITUMINOUS ODOUR

Flammability COMBUSTIBLE

Flash point > 93°C

Boiling pointNOT RELEVANTMelting pointNOT AVAILABLEEvaporation rateNOT AVAILABLE

[Type here]

NOT AVAILABLE pН **NOT AVAILABLE** Vapour density **NOT AVAILABLE** Relative density Solubility (water) **INSOLUBLE** NOT AVAILABLE Vapour pressure **Upper explosion limit** NOT AVAILABLE Lower explosion limit NOT AVAILABLE Partition coefficient NOT AVAILABLE

9.1 Information on basic physical and chemical properties

Autoignition temperature NOT AVAILABLE

Decomposition temperature > 300°C

Viscosity NOT AVAILABLE
Explosive properties NOT EXPLOSIVE
Oxidising properties NON OXIDISING
Odour threshold NOT AVAILABLE

9.2 Other information

Avg weight/m² when cured 2.5 T/m3

Expected temp. when cured Between ambient and 20°C above ambient

Max temp. in use 70°C

10. CHEMICAL STABILITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid contact with incompatible substances.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

10.6 Hazardous decomposition products

May evolve toxic gases (carbon/ sulphur oxides, sulphides, hydrocarbons) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity No known toxicity data is available for this product. Based on available data, the classification criteria are not

met. Inhalation of asphalt vapours at temperatures above 70°C may cause headaches, respiratory tract

irritation. Once cured, the inert solid material is considered non hazardous.

Skin Causes mild skin irritation. Contact may result in mild irritation, drying and defatting of the skin, rash and

dermatitis.

Eye Not classified as an eye irritant. However, direct contact may result in mild irritation, lacrimation, pain and

redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Insufficient data available to classify as a mutagen.

Carcinogenicity Bitumens, occupational exposure to straight-run bitumens and their emissions during road paving are classified

as possibly carcinogenic to humans (IARC Group 2B). Exposure levels are expected to be low from use of

asphalt at low temperatures.

Reproductive Insufficient data available to classify as a reproductive toxin.

[Type here]

STOT - single exposure

Not classified as causing organ damage from single exposure. However, high level exposure may result in

headache, nausea and respiratory tract irritation.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

Aspiration Not expected to present an aspiration hazard.

12. ECOLOGICAL / TOXICITY

12.1 Toxicity

There is currently insufficient data to classify the ecotoxicity of this product. However, the bulk of the bitumen dispersed in asphalt is fairly inert when set, and should not present an environmental hazard under normal conditions.

12.2 Persistence and degradability Can

be expected to biodegrade slowly.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil

Bituminous component in solid state when set. No significant mobility in soil water and groundwater expected.

12.5 Other adverse effects

Prevent contamination of drains or waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts dispose of to an approved landfill site. Contact the manufacturer for additional information if

larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened

and environmental damage may result.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORTATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.